

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/322268911>

The Effect of Climate Change on Cardiopulmonary Disease – A Systematic Review

Article in *Journal of Clinical and Diagnostic Research* · December 2017

DOI: 10.7860/JCDR/2017/26478.11012

CITATIONS

7

READS

390

5 authors, including:



Ghader Ghanizadeh

Baqiyatallah University of Medical Sciences

6 PUBLICATIONS 17 CITATIONS

[SEE PROFILE](#)



Mohammad Heidari

Shahrekord University of Medical Sciences

139 PUBLICATIONS 507 CITATIONS

[SEE PROFILE](#)



Bahar Seifi

Islamic Azad University Tehran Medical Sciences IRAN

8 PUBLICATIONS 29 CITATIONS

[SEE PROFILE](#)



Hamid Jafari

Sirjan School of Medical Sciences

14 PUBLICATIONS 20 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



The current study was related to a research project ratified and financially supported by the Deputy of Research and Technology of Abadeh Branch, Islamic Azad University (Grant No. 2169511100013). [View project](#)



A COMPARATIVE STUDY BETWEEN POVIDONEIODINE AND MANUGEL 85 ON SURGICAL SCRUB [View project](#)

The Effect of Climate Change on Cardiopulmonary Disease - A Systematic Review

GHADER GHANIZADEH¹, MOHAMMAD HEIDARI², BAHAR SEIFI³, HAMID JAFARI⁴, SHAHRZAD PAKJOUEI⁵

ABSTRACT

Introduction: Researchers expect climate change to alter human health in important ways, with significant regional variations. This change has the potential to affect human health in many ways.

Aim: To systematically review relevant literature in relation to the effect of climatic variables on cardiopulmonary function as an emerging health challenge.

Materials and Methods: The present systematic review was conducted according to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines. The key words “environment”, “weather”, “chronic obstructive pulmonary disease”, climate change” were used in combination with the Boolean operators “OR” and “AND”. We did electronic

searches on PubMed, Science Direct, Springer Link and Google Scholar. The search was conducted with publication year limitation between 2006 and 2016.

Results: A total of 1021 articles were extracted and 13 articles were selected for final review, based on the objective of the study. Results suggested that climate changes are not only an environmental and economic problem but also play a role in population health. Climate change parameters like temperature, humidity and air pollution can affect cardiopulmonary health.

Conclusion: The study shows the effect of climate change on cardiopulmonary health, and identifies it as an emerging phenomenon that needs effective planning for emerging and re-emerging concerns.

Keywords: Chronic obstructive pulmonary disease, Environment, Weather

INTRODUCTION

The United Nations Framework Convention on Climate Change (UNFCCC), states “climate change” as “a change of climate which is attributed directly or indirectly to human” [1]. Climate change refers to long term shifts in weather conditions and pattern changes in global weather [2].

This complicated phenomenon includes changes in the average or distribution of weather determinants (i.e., extreme weather events). Mountain glaciers are contracting, ocean water is becoming more acidic, and extreme weather events (unusual precipitations and hurricanes) occur more often [3]. Climate change can affect physical or mental health. Concentration of ambient air pollution have been associated with a range of adverse health effects [4,5].

In recent years, great efforts have been made regarding the diagnosis and treatment of Non-Communicable Diseases (NCDs). For prevention and control of NCDs the United Nations has identified four major chronic diseases: cardiovascular diseases including stroke; cancer; chronic respiratory disease; and diabetes mellitus as the major contributors of worldwide disease burden [6,7]. Extremely high air temperature might trigger the onset of cardiovascular events in the vulnerable people. The cardiopulmonary system and the gastrointestinal tract are vulnerable to the adverse effects of climate change too [7,8].

Another potential effect of climate change is extreme heat waves which are a severe threat to human well-being and health [9]. Then heat-health plans need to accommodate the effects of temperature as well as humidity at different times of the day [10]. According to studies the higher relative humidity was also associated with mortality due to acute myocardial infarction. Seasonal change in death was also found, with the average daily deaths caused by acute myocardial infarction in winter being almost 32% higher than

summer [8]. Also, meteorological variations were most marked in the immediate 72 hours prior to heart failure hospitalisation [11].

Studies have shown that environmental temperature and humidity may play a role in angina. Then, there is an impact of humidity on health, especially in case of climate-sensitive infectious and respiratory system disease. A seasonal variation in acute myocardial infarction has important clinical implications. There is an association between outdoor heat and respiratory hospitalisation in the elderly people. Also, the relationship between heat and respiratory morbidity was found [12-18].

Controlling release of black carbon, ozone, and methane could prevent millions of deaths. According to World Health Organization (WHO) report, annually 3.7 million premature deaths occur because of exposure to outdoor air pollution and household air pollution from burning solid fuel. Also, these pollutants cause millions of deaths by strokes and ischemic heart diseases [19]. People who live in these polluted areas are susceptible to asthma [20]. Elevated concentrations of greenhouse gases and carbon dioxide in the earth’s atmosphere have already warmed the planet substantially, causing more severe and prolonged heat waves, temperature variability, forest fires, floods, air pollution and droughts, all of which put respiratory health at risk [21-23].

One potential effect of heat waves is that they can duplicate adverse effect of chronic lung disease [24]. The greater risk of mortality due to cold waves was shown for several diseases such as cardiorespiratory diseases, hypertension, stroke, Congestive Heart Failure (CHF), Chronic Obstructive Pulmonary Disease (COPD) and, pneumonia [25]. The greatest increase in number of diseases was found with pneumonia and influenza (16%), bronchitis and emphysema (12%), and COPD (14%) [26,27]. Respiratory viral incidence patterns are often preparing a comprehensive global model of respiratory infections with seasonal details in different geographical zones which

might decrease the morbidity and mortality rate in exacerbation of COPD [28]. COPD happens in all four seasons especially in winter [29-31].

Since, cardiopulmonary disease is a multifactorial health concern in which environmental perturbation or climate change is considered as an emerging parameter for the inducement of these problems. It is so important that we can understand the effects of climate change on cardiopulmonary health in order to prevent them. With this background, the improvement in our knowledge is essential in order to develop effective strategies for mitigation and prevention meant to reduce the potential impacts of climate changes in future. A collaborative effort of physicians, nurses, scientists, industry, and government is needed to protect health and increase awareness regarding climate change.

MATERIALS AND METHODS

Data Sources and Search Strategy

We performed an electronic search on PubMed using the following terms between 2006 and 2016: "climate change," "climate variability," "meteorological factors," "weather," "Chronic Obstructive Pulmonary Disease/COPD," "human health," "health effects," "cardiovascular disease," "cardiopulmonary disease," and "respiratory disease". Using OR and AND, key words were combined and entered in the search box of the databases as follows: (climate change OR climate variability OR meteorological factors OR weather) AND (human health OR health effects OR cardiovascular disease OR cardiopulmonary disease OR respiratory disease OR Chronic Obstructive Pulmonary Disease/COPD).

The references of all retrieved original articles and reviews were assessed for additional relevant items. We also reviewed recent reports on the relationship between climate and human health from non-biomedical journals like journal articles published by World Meteorological Organization (WMO) as well as from regulatory documents produced by environmental and health agencies. The set describes the climate and weather, including climate variables (such as temperature, humidity), or meteorological hazards (such as drought, flood, and heat waves). Inputs from subject experts were further obtained to revise the search strategy and to locate additional citations.

A comprehensive literature search was conducted using Web of Science/Knowledge, Google Scholar (<http://scholar.google.com>), Elsevier Science Direct (<http://www.sciencedirect.com/>), Springer Online Journals (<http://link.springer.com/>) and PubMed (<http://www.pubmed.com/>). The focus was on the peer-reviewed articles in English between 2006 and 2016.

Other major and closely relevant synthesis reports were also reviewed, including WHO. Finally, 13 articles were included for this review research. These publications share a focus on the effects of climate change on cardiopulmonary health.

Inclusion Criteria

The following eligibility criteria were used in this study:

- **Articles written in English.**
- **Type of studies:** the present review included peer-reviewed original articles, case studies and review articles. Thus, books and conference abstracts were excluded.
- **Research factors:** only studies in which climate change was one of the exposure indicators of interest were considered.


Study Selection and Data Extraction

The quality of articles that met the inclusion criteria, was assessed. Three of the authors independently assessed the potential relevance of all publications, identified the database search, based on the information provided in the titles and abstracts. After screening by

titles and abstracts, the full texts of the remaining articles were then obtained and critically reviewed by the authors and extracted data from the final selected references. All data extraction was performed by the author and cross-checked by another researcher. Any error identified was corrected through discussion among all authors.

RESULTS

A total of 1021 records were identified from the electronic search of the databases. After exclusion by titles, types of study (the ones that were not clear to classify in terms of year limitation and language), irrelevant (the quality of studies, books and references was too low) and repeated articles, 118 articles were reviewed. At this stage, 903 articles were excluded. After reviewing by abstract, 31 articles were included in the study. After full text review, according to PRISMA checklist, 18 articles were excluded after considering type of articles and quality assessment. Finally, 13 papers were investigated for inclusion in this systematic review [Table/Fig-1]. Then assessment and data synthesis were performed to obtain the key results presented and summarised in [Table/Fig-2].



[Table/Fig-1]: Flow chart of the screening and selection process of the study articles.

DISCUSSION

The purpose of this systematic review was to summarise key findings related to the effect of climate change on cardiopulmonary health, and identify the relationship between them. The systematic review of the 10 included publications performed demonstrates that climate change plays a role in the incidence and prevalence of cardiopulmonary diseases [6-8,11,14-18,22]. Considering the expected continuity of climate change, the adverse influence of ambient humidity on vulnerable individuals may become increasingly serious. Environmental changes do have an influence on cardiac health.

As mentioned earlier according to studies, deaths from heart disease increase in winter [8]. This shows the association of temperature with excess winter mortality. The cold stress may be related with the flu season and an increase respiratory tract infection that could also affect the cardiovascular system. In this case influenza vaccination can be helpful and reduce incidence of cardiovascular abnormality and sudden cardiac death. These approaches may be important for developing strategies in preventing cardiovascular events [30]. The effect of extreme climatic change on cardiovascular disease is hard to predict, because the extent to which the temperature-

Author and year	Reference No.	Study region and period	Target population	Study design and analysis method	Exposure variable	Health impact
Cheng TO (2009)	[15]	US	-	Editorial	Cold temperature Humidity Seasonal variation Air pollution	Acute myocardial infarction
Cheng X and Su H (2010)	[8]	China	-	Review	Temperature Extreme heat Extreme cold	Sudden cardiovascular event
Bhaskaran K et al., (2012)	[12]	England and Wales June 2003 to August 2009	24861 hospital admissions for myocardial infarction occurring in 11 conurbations	Case-crossover study Odds ratio	Higher temperatures	Myocardial infarction
Chockalingam A et al., (2012)	[6]	US	-	Editors page	Air pollution	CVD (Cardiovascular disease) non communicable disease
Anderson GB et al., (2013)	[16]	US January 1, 1999 to December 31	12.5 million Medicare beneficiaries in 213 United States counties	Observational study Using Bayesian hierarchical models	Respiratory diseases associated with outdoor heat	Heat-related emergency hospitalisations respiratory diseases
Gao J et al., (2014)	[14]	China Until March 2013	-	Review STROBE method	Ambient humidity	Weather-related health outcomes, particularly among children. Infectious diseases, Diarrheal diseases, respiratory system diseases, and paediatric allergic diseases
Rice MB et al., (2014)	[18]	US	-	Review	Climate change Rising CO ₂ levels	Cardiopulmonary health
Gerardi DA and Kellerman RA (2014)	[22]	US	-	Review	Nature of climate change and both its immediate and long-term effects on human respiratory health	Climate change leads to an increase in the prevalence of certain respiratory diseases, exacerbations of chronic lung disease, premature mortality, allergic responses, and declines in lung function
Das D et al., (2014)	[11]	In 30 countries	7141 patients at 398 sites in 30 countries	Clinical trial, Acute Study of Clinical, Effectiveness of Nesiritide in Decompensated Heart Failure (ASCEND-HF) trial	Global meteorological conditions temperature and humidity	Meteorological fluctuations were most evident in the immediate 72 hours prior to the heart failure hospitalisation but also seen as far out as 7 days prior
Franchini M and Mannucci PM (2015)	[7]	Italy Until November 30, 2014	-	Review	Heat waves, hurricanes, cyclones, drought, warm temperature, cold temperatures, heat stroke, heat exhaustion, cold-related mortality/morbidity, greenhouse gases, global warming	Human health, allergen vector borne infectious disease, cardiopulmonary system, gastrointestinal tract typhus, cholera, malaria, dengue and West, Nile virus infection pneumonia (bronchitis and arthritis), death, morbidity
Goldie J et al., (2015)	[10]	Australia	Patients from the 5 hospitals	Cohort study, Univariate and bivariate Poisson generalised linear models	Temperature and humidity heat	At different times of day temperature and humidity act differently on the health of people. Healthcare providers in climatically similar locations may benefit from considering temperature and humidity separately
De Blois J et al., (2015)	[17]	US	People with pre-existing, Medical conditions such as CVD and the elderly are particularly vulnerable susceptible individuals with preexisting cardiopulmonary disease	Review PRISMA checklist	Climate change, heat exposure and increasing heat	Climate changes have a variety of negative effects on health, including cardiac health
Xiaoxu W et al., (2016)	[3]	China 1990 to 2015	Relationships between climate change, human infectious diseases and human society	Review	Vector-borne disease	The health effects of climate change (including changes in climate variables and extreme weather events) on human infectious diseases are imposed through impacts on pathogens, hosts/vectors, and disease transmission

[Table/Fig-2]: The results of studies conducted in different countries.

mortality association changes by gender, age and other factors is difficult to address. Climatic changes especially for cold stress could be considered a new potential risk factor of cardiovascular events in human health, and there is need for community-based study of cardiovascular events to deeply explore the risk factors, to schedule preventive strategies.

Prevention to reduce health risks resulting from global influences is a formidable challenge. It requires insights beyond the conventional understanding of causation and prevention [32]. Furthermore, higher temperatures seem to be associated with increased risk of

myocardial infarction after exposure. Policies aimed at reducing the health effects of hot weather should include consideration of effects operating at sub-daily time scales. The temperature-myocardial infarction association may be larger on the first day of a hot weather period than other high temperature days.

Extreme change in weather may cause fatal damages in people's health because people show low adaptability in abnormal weather conditions. In order to prevent these damages, the patients who have chronic diseases can manage a healthy life through primary health care. They should check weather forecasting daily and can

receive better health related meteorological information. It is possible to obtain lots of advantages in the prevention and management of patients [33].

Heat and cold waves are risk factors for cardiovascular and respiratory diseases. The Diurnal Temperature Range (DTR) may affect the rate of hospital admissions for cardiovascular- and respiratory-related diseases. [34].

The sustainable development goals are a principle declaration to stop climate change in the world. The agencies and governments should take more equitable global policies to protect people [35].

Finally, the review of literature found effects of climate change on cardiopulmonary health. It shows that climate change is not only an environmental and economic problem but also has an important impact on population health.

LIMITATION

This review is limited by its emphasis on papers published in English in peer-reviewed journal databases, so we may have missed potentially useful studies.

CONCLUSION

This study shows the effect of climate change on cardiopulmonary health. Through knowledge of these effects we can develop population-specific strategies to have an impact on these important global health issues. Identifying climate change effects is an emerging phenomenon, needs planning for emerging and reemerging concerns. Also, it can inform the local health officials and policy-makers to make and implement necessary preparations (mitigation and prevention), ultimately contributing to better health outcomes for populations.

REFERENCES

- [1] Gender, climate change and health Geneva-Switzerland: Public health & environment department; 2014 [updated 4/30/2017]. Available from: <http://www.who.int/globalchange/GenderClimateChangeHealthfinal.pdf?ua=1>.
- [2] Hales S, Kovats S, Lloyd S, Campbell-Lendrum D. Quantitative risk assessment of the effects of climate change on selected causes of death, 2030s and 2050s 2014 [updated 4/30/2017]. Available from: http://apps.who.int/iris/bitstream/10665/134014/1/9789241507691_eng.pdf.
- [3] Xiaoxu W, Yongmei L, Zhou S, Chen L, Bing X. Impact of climate change on human infectious diseases: Empirical evidence and human adaptation. *Environ Int*. 2016;86:14-23.
- [4] Hoek G, Krishnan RM, Beelen R, Peters A, Ostiro B, Brunekreef B, et al. Long-term air pollution exposure and cardio-respiratory mortality: a review. *Environ Health*. 2013;12:43.
- [5] Willox AC, Stephenson E, Allen J, Bourque F, Drossos A, Elgaroy S, et al. Examining relationships between climate change and mental health in the Circumpolar North. *Reg Environ Chang*. 2015;15:169-82.
- [6] Chockalingam A, Tolunay HE, Prabhakaran D, Narula J. Household air pollution: An emerging risk factor for CVD. *Eur J Int Med*. 2012;7(3):197-99.
- [7] Franchini M, Mannucci PM. Impact on human health of climate changes. *Eur J Int Med*. 2015;26:01-05.
- [8] Cheng X, Su H. Effects of climatic temperature stress on cardiovascular diseases. *European J Int Med*. 2010;21:164-67.
- [9] Michael AJ M, Lindgren E. Climate change: present and future risks to health, and necessary responses. *J Int Med*. 2011;270:401-13.
- [10] Goldie J, Sherwood SC, Green D, Alexander L. Temperature and humidity effects on hospital morbidity in Darwin, Australia. *Annals of Global Health*. 2015;81(3):333-41.
- [11] Das D, Bakal J, Armstrong P, Ezekowitz J. The association between meteorological events and acute heart failure: new insights from ascend-HF. *Canadian J Cardiology*. 2014;30:198-99.
- [12] Bhaskaran K, Armstrong B, Hajat S, Haines A, Wilkinson P, Smeeth LH. Heat and risk of myocardial infarction: Hourly level case-crossover analysis of MINAP database. *BMJ*. 2012;345:e8050.
- [13] Abignano MG, Corrao S, Biondo GB, Lombardo RM, Di Girolamo P, Braschi A, et al. Effects of ambient temperature, humidity, and other meteorological variables on hospital admissions for angina pectoris. *Eur J Prev Cardiol*. 2012;19(3):342-48.
- [14] Gao J, Sun Y, Lu Y, Li L. Impact of ambient humidity on child health: a systematic review. *PLoS One*. 2014;9(12):e112508.
- [15] Cheng TO. Seasonal variation in acute myocardial infarction. *Int J Cardiol*. 2009;277-79.
- [16] Anderson G, Dominici F, Wang Y, Cormack M, Bell M, Peng R. Heat-related emergency hospitalizations for respiratory diseases in the Medicare population. *Am J Respir Crit Care Med*. 2013;187:1098-103.
- [17] De Blois J, Kjellstrom T, Agewall S, Ezekowitz JA, Armstrong PW, Atar D. The effects of climate change on cardiac health. *Cardiology*. 2015;131(4):209-17.
- [18] Rice MB, Thurston GD, Balmes JR, Pinkerton KE. Climate change. A global threat to cardiopulmonary health. *Am J Respir Crit Care Med*. 2014;189(5):512-19.
- [19] Gulland A. Reduction in climate pollutants could save five million lives a year, WHO report says. *BMJ*. 2015;351:h5688.
- [20] To T, Zhu J, Larsen K, Simatovic J, Feldman L, Ryckman K, et al. Progression from asthma to Chronic Obstructive Pulmonary Disease (COPD): Is air pollution a risk factor? *Am J Respir Crit Care Med*. 2016;194(4):429-38.
- [21] Bernstein AS, Rice MB. Lungs in a warming world climate change and respiratory health. *Chest*. 2013;1455-59.
- [22] Gerardi DA, Kellerman RA. Climate change and respiratory health. *Journal of Occupational and Environmental Medicine/American College of Occup Environ Med*. 2014;56 Suppl 10:S49-54.
- [23] Forino G, Meding Jv, Brewer G, Gajendran T. Disaster risk reduction and climate change adaptation policy in Australia. *Procedia Economics and Finance*. 2014;18:473-82.
- [24] Witt C, Schubert AJ, Jehn M, Holzgrev A, Liebers U, Endlicher W, et al. The effects of climate change on patients with chronic lung disease. *Deutsches Arzteblatt Int*. 2015;112(51-52):878-83.
- [25] Qiu H, Tian L, Ho KF, Yu IT, Thach TQ, Wong CM. Who is more vulnerable to death from extremely cold temperatures? A case-only approach in Hong Kong with a temperate climate. *Int J Bio*. 2016;60(5):711-17.
- [26] Fuhrmann CM, Sugg MM, Konrad CE, Waller A. Impact of extreme heat events on emergency department visits in north Carolina (2007-2011). *J Community Health*. 2016;41(1):146-56.
- [27] Almagro P, Hernandez C, Martinez-Cambor P, Tresserras R, Escarabill J. Seasonality, ambient temperatures and hospitalizations for acute exacerbation of COPD: a population-based study in a metropolitan area. *Int J COPD*. 2015;10:899-908.
- [28] Hosseini SS, Ghasemian E, Jamaati H, Tabaraie B, Amini Z, Cox K. Association between respiratory viruses and exacerbation of COPD: A case-control study. *Infect Dis*. 2015;47(8):523-29.
- [29] Djamin RS, Uzun S, Snelders E, Kluytmans JJ, Hoogsteden HC, Aerts JG, et al. Occurrence of virus-induced COPD exacerbations during four seasons. *Infect Dis*. 2015;47(2):96-100.
- [30] Alahmari AD, Mackay AJ, Patel AR, Kowlessar BS, Singh R, Brill SE, et al. Influence of weather and atmospheric pollution on physical activity in patients with COPD. *Respir Res*. 2015;16:71.
- [31] Hansel NN, Cormack MC, Kim V. The effects of air pollution and temperature on COPD. *COPD*. 2016;13(3):372-79.
- [32] Michael M. Globalization, climate change, and human health. *N Engl J Med*. 2013;368:1335-43.
- [33] Oh J, Kim B. Prediction model for demands of the health meteorological information using a decision tree method. *Asian Nurs Res*. 2010;4(3):151-62.
- [34] Lim Y-H, Hong Y-C, Kim H. Effects of diurnal temperature range on cardiovascular and respiratory hospital admissions in Korea. *Sci Total Environ*. 2012;417-418:55-60.
- [35] Adel D, Björn H, Debarati G-S. What is the association between absolute child poverty, poor governance, and natural disasters? A global comparison of some of the realities of climate change. *PLoS One*. 2016;11(4):e0153296.

PARTICULARS OF CONTRIBUTORS:

1. Professor, Department of Environmental Health Engineering, Faculty of Health, Baqiyatallah University of Medical Sciences, Tehran, Iran.
2. Lecturer, Department of Medical and Surgical, School of Nursing and Midwifery, Shahrekord University of Medical Sciences, Shahrekord, Iran.
3. Lecturer, Department of Nursing, Faculty of Nursing and Midwifery, Tehran Medical Sciences Branch, Islamic Azad University, Tehran, Iran.
4. PhD Candidate, Department of Health in Disasters and Emergencies, School of Health Management and Information Sciences, Iran University of Medical Sciences, Tehran, Iran.
5. PhD Candidate, Department of Health in Disasters and Emergencies, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran.

NAME, ADDRESS, E-MAIL ID OF THE CORRESPONDING AUTHOR:

Mr. Mohammad Heidari,
Lecturer, Department of Medical and Surgical, School of Nursing and Midwifery,
Shahrekord University of Medical Sciences, Shahrekord, Iran.
E-mail: mo.heidari@yahoo.com, heidari@skums.ac.ir

Date of Submission: Jan 01, 2017

Date of Peer Review: Feb 27, 2017

Date of Acceptance: Aug 24, 2017

Date of Publishing: Dec 01, 2017

FINANCIAL OR OTHER COMPETING INTERESTS: None.